

Monday, May 14, 2012

Attn: Mr. Darrick Jones Leggette, Brashears & Graham 6 Executive Drive Farmington CT 06030

Project ID: SATIN

Sample ID#s: BB80685 - BB80708

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory. All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

Phyllis Shiller

Laboratory Director

NELAC - #NY11301 CT Lab Registration #PH-0618 MA Lab Registration #MA-CT-007 ME Lab Registration #CT-007

NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003 NY Lab Registration #11301 PA Lab Registration #68-03530 RI Lab Registration #63 VT Lab Registration #VT11301



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 14, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

SOLID Location Code: LBG-PCB

Rush Request: Standard

P.O.#:

Matrix:

Collected by: Received by: LB

Analyzed by: see "By" below

Laboratory Data

Custody Information

SDG ID: GBB80685

Time

13:10

13:52

Phoenix ID: BB80685

Date

05/02/12

05/03/12

SATIN Project ID:

N-47 0.4-1 Client ID:

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid Soxhlet Extraction for PCB	95 Completed		%	05/04/12 05/07/12		JL */*	E160.3 SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.34	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1221	ND	0.34	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1232	ND	0.34	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1242	ND	0.34	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1248	ND	0.34	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1254	ND	0.34	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1260	0.87	0.34	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1262	ND	0.34	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1268	ND	0.34	mg/Kg	05/10/12		KCA	3540C/8082
QA/QC Surrogates							
% DCBP	102		%	05/10/12		KCA	30 - 150 %
% TCMX	102		%	05/10/12		KCA	30 - 150 %

Page 1 of 48 Ver 1 Project ID: SATIN Phoenix I.D.: BB80685 Client ID: N-47 0.4-1

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director

May 14, 2012

Reviewed and Released by: Maryam Taylor, Project Manager

Page 2 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 14, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: **SOLID Location Code:** LBG-PCB

Standard

Rush Request:

P.O.#:

Client ID:

Custody Information

Collected by: Received by:

Analyzed by:

LB

05/02/12 05/03/12

Date

13:12 13:52

Time

see "By" below

Laboratory Data

SDG ID: GBB80685

Phoenix ID: BB80686

SATIN Project ID: N-47 1-2

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid Soxhlet Extraction for PCB	90 Completed		%	05/04/12 05/07/12		JL */*	E160.3 SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.35	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1221	ND	0.35	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1232	ND	0.35	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1242	ND	0.35	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1248	ND	0.35	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1254	ND	0.35	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1260	1.1	0.35	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1262	ND	0.35	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1268	ND	0.35	mg/Kg	05/10/12		KCA	3540C/8082
QA/QC Surrogates							
% DCBP	107		%	05/10/12		KCA	30 - 150 %
% TCMX	99		%	05/10/12		KCA	30 - 150 %

Page 3 of 48 Ver 1 Project ID: SATIN
Client ID: N-47 1-2

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 14, 2012

Reviewed and Released by: Maryam Taylor, Project Manager

Phoenix I.D.: BB80686

Page 4 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 14, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: **SOLID Location Code:** LBG-PCB Standard

Rush Request:

P.O.#:

Custody Information

Laboratory Data

Collected by: Received by:

Analyzed by:

see "By" below

LB

05/03/12

Date

05/02/12

13:14 13:52

Time

SDG ID: GBB80685

Phoenix ID: BB80687

SATIN Project ID:

N-47 2-3 Client ID:

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	94		%	05/04/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			05/07/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.34	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1221	ND	0.34	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1232	ND	0.34	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1242	ND	0.34	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1248	ND	0.34	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1254	ND	0.34	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1260	1.2	0.34	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1262	ND	0.34	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1268	ND	0.34	mg/Kg	05/10/12		KCA	3540C/8082
QA/QC Surrogates							
% DCBP	70		%	05/10/12		KCA	30 - 150 %
% TCMX	63		%	05/10/12		KCA	30 - 150 %

Page 5 of 48 Ver 1 Project ID: SATIN Phoenix I.D.: BB80687 Client ID: N-47 2-3

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director

May 14, 2012

Reviewed and Released by: Maryam Taylor, Project Manager

Page 6 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 14, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information Custody Information

Matrix: SOLID Location Code: LBG-PCB

Rush Request: Standard

P.O.#:

 Collected by:
 05/02/12
 13:16

 Received by:
 LB
 05/03/12
 13:52

Analyzed by: see "By" below

Laboratory Data

SDG ID: GBB80685

Time

Phoenix ID: BB80688

Date

Project ID: SATIN

Client ID: N-47 3-3.5

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	98		%	05/04/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			05/07/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.33	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1221	ND	0.33	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1232	ND	0.33	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1242	ND	0.33	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1248	ND	0.33	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1254	ND	0.33	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1260	0.95	0.33	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1262	ND	0.33	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1268	ND	0.33	mg/Kg	05/10/12		KCA	3540C/8082
QA/QC Surrogates							
% DCBP	88		%	05/10/12		KCA	30 - 150 %
% TCMX	83		%	05/10/12		KCA	30 - 150 %

Page 7 of 48 Ver 1

Project ID: SATIN Phoenix I.D.: BB80688

Client ID: N-47 3-3.5

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 14, 2012

Reviewed and Released by: Maryam Taylor, Project Manager

Page 8 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 14, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: **SOLID Location Code:** LBG-PCB Standard

Rush Request:

P.O.#:

Custody Information

Laboratory Data

Collected by: Received by:

Analyzed by: see "By" below

LB

05/02/12 05/03/12 13:18

Date

13:52

Time

SDG ID: GBB80685 Phoenix ID: BB80689

SATIN Project ID:

N-47 5-6 Client ID:

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	84		%	05/04/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			05/07/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.39	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1221	ND	0.39	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1232	ND	0.39	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1242	ND	0.39	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1248	ND	0.39	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1254	ND	0.39	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1260	ND	0.39	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1262	ND	0.39	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1268	ND	0.39	mg/Kg	05/10/12		KCA	3540C/8082
QA/QC Surrogates							
% DCBP	98		%	05/10/12		KCA	30 - 150 %
% TCMX	90		%	05/10/12		KCA	30 - 150 %

Page 9 of 48 Ver 1 Project ID: SATIN Phoenix I.D.: BB80689

Client ID: N-47 5-6

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 14, 2012

Reviewed and Released by: Maryam Taylor, Project Manager

Page 10 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 14, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information Custody

Matrix: SOLID Location Code: LBG-PCB

Rush Request: Standard

P.O.#:

Custody InformationDateTimeCollected by:05/02/1213:50Received by:LB05/03/1213:52

Analyzed by: see "By" below

Laboratory Data

SDG ID: GBB80685

Phoenix ID: BB80690

Project ID: SATIN

Client ID: N-65 0.4-1

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	89		%	05/04/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			05/07/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.37	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1221	ND	0.37	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1232	ND	0.37	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1242	ND	0.37	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1248	ND	0.37	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1254	ND	0.37	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1260	2.3	0.37	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1262	ND	0.37	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1268	ND	0.37	mg/Kg	05/10/12		KCA	3540C/8082
QA/QC Surrogates							
% DCBP	105		%	05/10/12		KCA	30 - 150 %
% TCMX	103		%	05/10/12		KCA	30 - 150 %

Page 11 of 48 Ver 1

Project ID: SATIN Phoenix I.D.: BB80690

Client ID: N-65 0.4-1

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 14, 2012

Reviewed and Released by: Maryam Taylor, Project Manager

Page 12 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 14, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: **SOLID Location Code:** LBG-PCB Standard

Rush Request:

P.O.#:

Custody Information

Laboratory Data

Collected by: Received by:

Analyzed by:

LB

see "By" below

05/03/12

Date

05/02/12

13:52 13:52

Time

SDG ID: GBB80685 Phoenix ID: BB80691

SATIN Project ID:

N-65 1-2 Client ID:

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid Soxhlet Extraction for PCB	89 Completed		%	05/04/12 05/07/12		JL */*	E160.3 SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.36	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1221	ND	0.36	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1232	ND	0.36	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1242	ND	0.36	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1248	ND	0.36	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1254	ND	0.36	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1260	ND	0.36	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1262	ND	0.36	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1268	ND	0.36	mg/Kg	05/10/12		KCA	3540C/8082
QA/QC Surrogates							
% DCBP	64		%	05/10/12		KCA	30 - 150 %
% TCMX	67		%	05/10/12		KCA	30 - 150 %

Page 13 of 48 Ver 1 Project ID: SATIN Phoenix I.D.: BB80691
Client ID: N-65 1-2

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 14, 2012

Reviewed and Released by: Maryam Taylor, Project Manager

Page 14 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 14, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: **SOLID Location Code:** LBG-PCB

Rush Request: Standard

P.O.#:

Custody Information

Laboratory Data

Collected by: Received by:

Analyzed by:

see "By" below

LB

Date

05/02/12

13:54 13:52

Time

05/03/12

SDG ID: GBB80685 Phoenix ID: BB80692

SATIN Project ID:

N-65 2-3 Client ID:

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	97 Completed		%	05/04/12 05/07/12		JL */*	E160.3 SW3540C
Soxhlet Extraction for PCB	Completed			03/07/12		1	3W3540C
PCB (Soxhlet)							
PCB-1016	ND	0.33	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1221	ND	0.33	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1232	ND	0.33	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1242	ND	0.33	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1248	ND	0.33	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1254	ND	0.33	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1260	ND	0.33	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1262	ND	0.33	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1268	ND	0.33	mg/Kg	05/10/12		KCA	3540C/8082
QA/QC Surrogates							
% DCBP	74		%	05/10/12		KCA	30 - 150 %
% TCMX	67		%	05/10/12		KCA	30 - 150 %

Page 15 of 48 Ver 1 Project ID: SATIN Phoenix I.D.: BB80692 Client ID: N-65 2-3

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 14, 2012

Reviewed and Released by: Maryam Taylor, Project Manager

Page 16 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 14, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: **SOLID Location Code:** LBG-PCB

Rush Request: Standard

P.O.#:

Custody Information

Collected by: Received by:

Analyzed by:

Laboratory Data

LB

see "By" below

05/02/12 05/03/12

Date

13:56

Time

13:52

SDG ID: GBB80685 Phoenix ID: BB80693

SATIN Project ID:

N-65 5-6 Client ID:

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	62		%	05/04/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			05/07/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.54	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1221	ND	0.54	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1232	ND	0.54	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1242	ND	0.54	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1248	ND	0.54	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1254	ND	0.54	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1260	ND	0.54	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1262	ND	0.54	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1268	ND	0.54	mg/Kg	05/10/12		KCA	3540C/8082
QA/QC Surrogates							
% DCBP	99		%	05/10/12		KCA	30 - 150 %
% TCMX	94		%	05/10/12		KCA	30 - 150 %

Page 17 of 48 Ver 1 Project ID: SATIN Phoenix I.D.: BB80693
Client ID: N-65 5-6

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 14, 2012

Reviewed and Released by: Maryam Taylor, Project Manager

Page 18 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 14, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: SOLID Location Code: LBG-PCB

Rush Request: Standard

P.O.#:

Custody Information
Collected by:

Received by: L

Laboratory Data

Analyzed by:

LB see "By" below

05/02/12 05/03/12

Date

13:58

Time

05/03/12 13:52

SDG ID: GBB80685

Phoenix ID: BB80694

Project ID: SATIN

Client ID: N-65 6-7

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	73		%	05/04/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			05/07/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.46	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1221	ND	0.46	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1232	ND	0.46	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1242	ND	0.46	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1248	ND	0.46	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1254	ND	0.46	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1260	ND	0.46	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1262	ND	0.46	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1268	ND	0.46	mg/Kg	05/10/12		KCA	3540C/8082
QA/QC Surrogates							
% DCBP	87		%	05/10/12		KCA	30 - 150 %
% TCMX	96		%	05/10/12		KCA	30 - 150 %

Page 19 of 48 Ver 1

Project ID: SATIN Phoenix I.D.: BB80694

Client ID: N-65 6-7

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 14, 2012

Reviewed and Released by: Maryam Taylor, Project Manager

Page 20 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 14, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

SOLID Location Code: LBG-PCB

Rush Request: Standard

P.O.#:

Matrix:

Custody Information

Collected by: Received by:

Analyzed by:

LB

05/02/12 14:00

Date

05/03/12 13:52

Time

see "By" below

Laboratory Data

SDG ID: GBB80685

Phoenix ID: BB80695

SATIN Project ID:

N-65 7-8 Client ID:

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	94		%	05/04/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			05/07/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.35	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1221	ND	0.35	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1232	ND	0.35	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1242	ND	0.35	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1248	ND	0.35	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1254	ND	0.35	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1260	ND	0.35	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1262	ND	0.35	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1268	ND	0.35	mg/Kg	05/10/12		KCA	3540C/8082
QA/QC Surrogates							
% DCBP	94		%	05/10/12		KCA	30 - 150 %
% TCMX	101		%	05/10/12		KCA	30 - 150 %

Page 21 of 48 Ver 1 Project ID: SATIN Phoenix I.D.: BB80695
Client ID: N-65 7-8

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 14, 2012

Reviewed and Released by: Maryam Taylor, Project Manager

Page 22 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 14, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: SOLID Location Code: LBG-PCB Rush Request: Standard

P.O.#:

<u>Custody Information</u>

Collected by:

Received by:

LE

Analyzed by:

LB see "By" below

05/02/12 05/03/12

Date

13:30 13:52

Time

05/03/12 13:52

Laboratory Data

SDG ID: GBB80685
Phoenix ID: BB80696

Project ID: SATIN

Client ID: N-66 0.3-1

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid Soxhlet Extraction for PCB	94 Completed		%	05/04/12 05/07/12		JL */*	E160.3 SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.35	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1221	ND	0.35	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1232	ND	0.35	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1242	ND	0.35	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1248	ND	0.35	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1254	ND	0.35	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1260	ND	0.35	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1262	ND	0.35	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1268	ND	0.35	mg/Kg	05/10/12		KCA	3540C/8082
QA/QC Surrogates							
% DCBP	58		%	05/10/12		KCA	30 - 150 %
% TCMX	58		%	05/10/12		KCA	30 - 150 %

Page 23 of 48 Ver 1

Project ID: SATIN Phoenix I.D.: BB80696

Client ID: N-66 0.3-1

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 14, 2012

Reviewed and Released by: Maryam Taylor, Project Manager

Page 24 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 14, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: **SOLID Location Code:** LBG-PCB Standard

Rush Request:

P.O.#:

Custody Information

Laboratory Data

Collected by: Received by:

Analyzed by:

see "By" below

LB

05/02/12 05/03/12

Date

13:32 13:52

Time

SDG ID: GBB80685 Phoenix ID: BB80697

SATIN Project ID:

N-66 1-2 Client ID:

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid Soxhlet Extraction for PCB	91 Completed		%	05/04/12 05/07/12		JL */*	E160.3 SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.37	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1221	ND	0.37	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1232	ND	0.37	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1242	ND	0.37	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1248	ND	0.37	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1254	ND	0.37	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1260	ND	0.37	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1262	ND	0.37	mg/Kg	05/10/12		KCA	3540C/8082
PCB-1268	ND	0.37	mg/Kg	05/10/12		KCA	3540C/8082
QA/QC Surrogates							
% DCBP	70		%	05/10/12		KCA	30 - 150 %
% TCMX	62		%	05/10/12		KCA	30 - 150 %

Page 25 of 48 Ver 1 Project ID: SATIN Phoenix I.D.: BB80697 Client ID: N-66 1-2

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 14, 2012

Reviewed and Released by: Maryam Taylor, Project Manager

Page 26 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Custody Information

Collected by:

Received by:

Analysis Report

May 14, 2012

FOR: Attn: Mr. Darrick Jones

LB

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: **SOLID Location Code:** LBG-PCB Standard

Rush Request: P.O.#:

Client ID:

Analyzed by: see "By" below **Laboratory Data**

SDG ID: GBB80685

Time

13:34

13:52

Date

05/02/12

05/03/12

Phoenix ID: BB80698

SATIN Project ID: N-66 5-6

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	75		%	05/04/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			05/07/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.44	mg/Kg	05/09/12		МН	3540C/8082
PCB-1221	ND	0.44	mg/Kg	05/09/12		MH	3540C/8082
PCB-1232	ND	0.44	mg/Kg	05/09/12		MH	3540C/8082
PCB-1242	ND	0.44	mg/Kg	05/09/12		MH	3540C/8082
PCB-1248	ND	0.44	mg/Kg	05/09/12		MH	3540C/8082
PCB-1254	ND	0.44	mg/Kg	05/09/12		MH	3540C/8082
PCB-1260	ND	0.44	mg/Kg	05/09/12		MH	3540C/8082
PCB-1262	ND	0.44	mg/Kg	05/09/12		MH	3540C/8082
PCB-1268	ND	0.44	mg/Kg	05/09/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	109		%	05/09/12		MH	30 - 150 %
% TCMX	102		%	05/09/12		MH	30 - 150 %

Page 27 of 48 Ver 1 Project ID: SATIN Phoenix I.D.: BB80698
Client ID: N-66 5-6

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 14, 2012

Reviewed and Released by: Maryam Taylor, Project Manager

Page 28 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 14, 2012

FOR: Attn: Mr. Darrick Jones

see "By" below

LB

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: SOLID Location Code: LBG-PCB Rush Request: Standard

Rush Request: P.O.#:

Laboratory Data

Custody Information

Collected by:

Received by:

Analyzed by:

SDG ID: GBB80685

Time

13:36

13:52

Phoenix ID: BB80699

Date

05/02/12

05/03/12

Project ID: SATIN

Client ID: N-66 6-6.5

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	79		%	05/04/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			05/07/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.42	mg/Kg	05/09/12		МН	3540C/8082
PCB-1221	ND	0.42	mg/Kg	05/09/12		MH	3540C/8082
PCB-1232	ND	0.42	mg/Kg	05/09/12		MH	3540C/8082
PCB-1242	ND	0.42	mg/Kg	05/09/12		MH	3540C/8082
PCB-1248	ND	0.42	mg/Kg	05/09/12		MH	3540C/8082
PCB-1254	ND	0.42	mg/Kg	05/09/12		MH	3540C/8082
PCB-1260	ND	0.42	mg/Kg	05/09/12		MH	3540C/8082
PCB-1262	ND	0.42	mg/Kg	05/09/12		MH	3540C/8082
PCB-1268	ND	0.42	mg/Kg	05/09/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	96		%	05/09/12		MH	30 - 150 %
% TCMX	98		%	05/09/12		МН	30 - 150 %

Page 29 of 48 Ver 1

Project ID: SATIN Phoenix I.D.: BB80699

Client ID: N-66 6-6.5

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 14, 2012

Reviewed and Released by: Maryam Taylor, Project Manager

Page 30 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 14, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: **SOLID Location Code:** LBG-PCB Rush Request: Standard

P.O.#:

Custody Information

Collected by: Received by:

LB

05/02/12

Date

Time 15:40

05/03/12

13:52

Analyzed by: see "By" below

Laboratory Data

SDG ID: GBB80685 Phoenix ID: BB80700

SATIN Project ID:

Client ID: N-84 0.4-1

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid Soxhlet Extraction for PCB	92 Completed		%	05/04/12 05/07/12		JL */*	E160.3 SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.36	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1221	ND	0.36	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1232	ND	0.36	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1242	ND	0.36	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1248	ND	0.36	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1254	ND	0.36	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1260	ND	0.36	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1262	ND	0.36	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1268	ND	0.36	mg/Kg	05/10/12		M/K	3540C/8082
QA/QC Surrogates							
% DCBP	148		%	05/10/12		M/K	30 - 150 %
% TCMX	98		%	05/10/12		M/K	30 - 150 %

Page 31 of 48 Ver 1 Project ID: SATIN Phoenix I.D.: BB80700 Client ID: N-84 0.4-1

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 14, 2012

Reviewed and Released by: Maryam Taylor, Project Manager

Page 32 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 14, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample InformationCustody InformationDateTimeMatrix:SOLIDCollected by:05/02/1215:42Location Code:LBG-PCBReceived by:LB05/03/1213:52

Rush Request: Standard Analyzed by: see "By" below

Laboratory Data SDG ID: GBB80685

Phoenix ID: BB80701

Project ID: SATIN

P.O.#:

Client ID: N-84 1-2

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	92		%	05/04/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			05/07/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.36	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1221	ND	0.36	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1232	ND	0.36	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1242	ND	0.36	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1248	ND	0.36	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1254	ND	0.36	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1260	ND	0.36	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1262	ND	0.36	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1268	ND	0.36	mg/Kg	05/10/12		M/K	3540C/8082
QA/QC Surrogates							
% DCBP	121		%	05/10/12		M/K	30 - 150 %
% TCMX	97		%	05/10/12		M/K	30 - 150 %

Page 33 of 48 Ver 1

Project ID: SATIN Phoenix I.D.: BB80701 Client ID: N-84 1-2

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director

May 14, 2012

Reviewed and Released by: Maryam Taylor, Project Manager

Page 34 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 14, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: SOLID Custody Information

Custody Information

Collected by:

LBG-PCB

Rush Request: Standard

P.O.#:

Location Code:

Collected by: 05/02/12 15:44
Received by: LB 05/03/12 13:52

Analyzed by: see "By" below

Laboratory Data

SDG ID: GBB80685

Time

Phoenix ID: BB80702

Date

Project ID: SATIN

Client ID: N-84 2-3

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	91		%	05/04/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			05/07/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.37	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1221	ND	0.37	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1232	ND	0.37	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1242	ND	0.37	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1248	ND	0.37	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1254	ND	0.37	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1260	ND	0.37	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1262	ND	0.37	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1268	ND	0.37	mg/Kg	05/10/12		M/K	3540C/8082
QA/QC Surrogates							
% DCBP	116		%	05/10/12		M/K	30 - 150 %
% TCMX	88		%	05/10/12		M/K	30 - 150 %

Page 35 of 48 Ver 1

Project ID: SATIN Phoenix I.D.: BB80702 Client ID: N-84 2-3

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 14, 2012

Reviewed and Released by: Maryam Taylor, Project Manager

Page 36 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 14, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: **SOLID Location Code:** LBG-PCB

N-84 5-6

Rush Request: Standard

P.O.#:

Client ID:

Custody Information

Collected by: Received by:

Analyzed by:

see "By" below

LB

05/02/12 15:46

Time

Date

05/03/12 13:52

Laboratory Data

SDG ID: GBB80685 Phoenix ID: BB80703

SATIN Project ID:

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	91		%	05/04/12		JL */*	E160.3
Soxhlet Extraction for PCB	Completed			05/07/12		/	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.37	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1221	ND	0.37	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1232	ND	0.37	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1242	ND	0.37	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1248	ND	0.37	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1254	ND	0.37	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1260	ND	0.37	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1262	ND	0.37	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1268	ND	0.37	mg/Kg	05/10/12		M/K	3540C/8082
QA/QC Surrogates							
% DCBP	111		%	05/10/12		M/K	30 - 150 %
% TCMX	75		%	05/10/12		M/K	30 - 150 %

Page 37 of 48 Ver 1 Project ID: SATIN Phoenix I.D.: BB80703
Client ID: N-84 5-6

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director

May 14, 2012

Reviewed and Released by: Maryam Taylor, Project Manager

Page 38 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 14, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-PCB
Rush Request: Standard

P.O.#:

Custody Information

Collected by: Received by:

Analyzed by:

LB

05/02/12

Date

15:48

Time

05/03/12 13:52

see "By" below

Laboratory Data

SDG ID: GBB80685

Phoenix ID: BB80704

Project ID: SATIN

Client ID: N-84 6-7

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	75		%	05/04/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			05/07/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.42	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1221	ND	0.42	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1232	ND	0.42	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1242	ND	0.42	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1248	ND	0.42	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1254	ND	0.42	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1260	ND	0.42	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1262	ND	0.42	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1268	ND	0.42	mg/Kg	05/10/12		M/K	3540C/8082
QA/QC Surrogates							
% DCBP	123		%	05/10/12		M/K	30 - 150 %
% TCMX	100		%	05/10/12		M/K	30 - 150 %

Page 39 of 48 Ver 1

Project ID: SATIN Phoenix I.D.: BB80704 Client ID: N-84 6-7

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director

May 14, 2012

Reviewed and Released by: Maryam Taylor, Project Manager

Page 40 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 14, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: **SOLID Location Code:** LBG-PCB Rush Request: Standard

P.O.#:

Custody Information

Collected by:

Analyzed by:

Received by:

LB

see "By" below

05/02/12

15:50

05/03/12

Date

13:52

Time

Laboratory Data

Phoenix ID: BB80705

SDG ID: GBB80685

SATIN Project ID:

N-84 7-8 Client ID:

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid Soxhlet Extraction for PCB	57 Completed		%	05/04/12 05/07/12		JL */*	E160.3 SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.56	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1221	ND	0.56	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1232	ND	0.56	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1242	ND	0.56	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1248	ND	0.56	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1254	ND	0.56	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1260	ND	0.56	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1262	ND	0.56	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1268	ND	0.56	mg/Kg	05/10/12		M/K	3540C/8082
QA/QC Surrogates							
% DCBP	124		%	05/10/12		M/K	30 - 150 %
% TCMX	96		%	05/10/12		M/K	30 - 150 %

Page 41 of 48 Ver 1 Project ID: SATIN Phoenix I.D.: BB80705 Client ID: N-84 7-8

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 14, 2012

Reviewed and Released by: Maryam Taylor, Project Manager

Page 42 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 14, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-PCB
Rush Request: Standard

P.O.#:

<u>Custody Information</u>

Collected by: Received by:

LB

05/02/12 05/03/12

Date

15:30 13:52

Time

Analyzed by: see "By" below

Laboratory Data

SDG ID: GBB80685

Phoenix ID: BB80706

Project ID: SATIN

Client ID: N-85 0.3-1

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	94		%	05/04/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			05/07/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.33	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1221	ND	0.33	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1232	ND	0.33	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1242	ND	0.33	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1248	ND	0.33	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1254	ND	0.33	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1260	8.4	0.33	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1262	ND	0.33	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1268	ND	0.33	mg/Kg	05/10/12		M/K	3540C/8082
QA/QC Surrogates							
% DCBP	126		%	05/10/12		M/K	30 - 150 %
% TCMX	107		%	05/10/12		M/K	30 - 150 %

Page 43 of 48 Ver 1

Project ID: SATIN Phoenix I.D.: BB80706

Client ID: N-85 0.3-1

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 14, 2012

Reviewed and Released by: Maryam Taylor, Project Manager

Page 44 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 14, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: **SOLID Location Code:** LBG-PCB Rush Request: Standard

P.O.#:

Client ID:

Custody Information Date 05/02/12 Collected by: Received by: LB 05/03/12

Analyzed by: see "By" below

Laboratory Data

SDG ID: GBB80685

Time

15:32

13:52

Phoenix ID: BB80707

SATIN Project ID: N-85 1-2

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	93		%	05/04/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			05/07/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.36	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1221	ND	0.36	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1232	ND	0.36	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1242	ND	0.36	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1248	ND	0.36	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1254	ND	0.36	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1260	3.1	0.36	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1262	ND	0.36	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1268	ND	0.36	mg/Kg	05/10/12		M/K	3540C/8082
QA/QC Surrogates							
% DCBP	95		%	05/10/12		M/K	30 - 150 %
% TCMX	70		%	05/10/12		M/K	30 - 150 %

Page 45 of 48 Ver 1 Project ID: SATIN Phoenix I.D.: BB80707 Client ID: N-85 1-2

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 14, 2012

Reviewed and Released by: Maryam Taylor, Project Manager

Page 46 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 14, 2012

FOR: Attn: Mr. Darrick Jones

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-PCB
Rush Request: Standard

P.O.#:

Custody Information
Collected by:

Received by: LB

Analyzed by:

see "By" below

Laboratory Data

SDG ID: GBB80685

Phoenix ID: BB80708

Time

15:34

13:52

Date

05/02/12

05/03/12

Project ID: SATIN

Client ID: N-85 5-6

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	85		%	05/04/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			05/07/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	0.38	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1221	ND	0.38	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1232	ND	0.38	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1242	ND	0.38	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1248	ND	0.38	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1254	ND	0.38	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1260	ND	0.38	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1262	ND	0.38	mg/Kg	05/10/12		M/K	3540C/8082
PCB-1268	ND	0.38	mg/Kg	05/10/12		M/K	3540C/8082
QA/QC Surrogates							
% DCBP	56		%	05/10/12		M/K	30 - 150 %
% TCMX	48		%	05/10/12		M/K	30 - 150 %

Page 47 of 48 Ver 1

Project ID: SATIN Phoenix I.D.: BB80708
Client ID: N-85 5-6

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 14, 2012

Reviewed and Released by: Maryam Taylor, Project Manager

Page 48 of 48 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

May 14, 2012

QA/QC Data

SDG I.D.: GBB80685

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	Rec Limits	RPD Limits
	Sample No: BB80681 (BB8068 694, BB80695, BB80696, BB80					689, BE	880690,	BB80691	١,
Polychlorinated Biphe		3077, 5500070, 51	300077	, 00007	00)				
PCB-1016	ND		114		66	68	3.0	40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND		88		83	67	21.3	40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	47		80		62	54	13.8	30 - 150	30
% TCMX (Surrogate Rec)	63		78		55	50	9.5	30 - 150	30
Comment:									
Due to a Laboratory error the	LCS recovery could not be reporte	d.							
QA/QC Batch 200210, QC	Sample No: BB80701 (BB8070	01, BB80702, BB80)703, BI	B80704	, BB80	705, BE	380706,	BB80707	7, BB80708)
Polychlorinated Biphe	enyls - Solid								
PCB-1016	ND	114	106	7.3	89	95	6.5	40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	98	105	6.9	76	82	7.6	40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	46	79	96	19.4	63	67	6.2	30 - 150	30
% TCMX (Surrogate Rec)	42	97	87	10.9	68	72	5.7	30 - 150	30

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria Intf - Interference Phyllis Shiller, Laboratory Director

May 14, 2012

Monday, May 14, 2012

Sample Criteria Exceedences Report

Page 1 of 1

Pogueet	ed Criteria: GA	NM PC				a =x000a0000	opo					
Request	eu Chlena. G	AIVI, NO				GBB80685					Factored	
SampNo	LocCode	Acode	Phoenix Analyte	Criteria Units	ST	State Category	Criteria Name	Result	RL	Factored Criteria	RL Criteria	Analysis Units
BB80686	LBG-PCB	\$PCB_SOXR	PCB-1260	mg/kg	СТ	Pesticides, Pcb's, Tph, A	RES DEC (mg/kg)	1100	350	1000	1000	ug/Kg
BB80687	LBG-PCB	\$PCB_SOXR	PCB-1260	mg/kg	СТ	Pesticides, Pcb's, Tph, A	RES DEC (mg/kg)	1200	340	1000	1000	ug/Kg
BB80690	LBG-PCB	\$PCB_SOXR	PCB-1260	mg/kg	СТ	Pesticides, Pcb's, Tph, A	RES DEC (mg/kg)	2300	370	1000	1000	ug/Kg
BB80706	LBG-PCB	\$PCB_SOXR	PCB-1260	mg/kg	СТ	Pesticides, Pcb's, Tph, A	RES DEC (mg/kg)	8400	330	1000	1000	ug/Kg
BB80707	LBG-PCB	\$PCB_SOXR	PCB-1260	mg/kg	СТ	Pesticides, Pcb's, Tph, A	RES DEC (mg/kg)	3100	360	1000	1000	ug/Kg


Phoenix Laboratories does not assume responsibility for the data contained in this report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.

Reasonable Confidence Protocol Laboratory Analysis QA/QC Certification Form

Laboratory Name: Phoenix Environmental Labs, Inc. Client: LBG-PCB Project Location: SATIN **Project Number:** Laboratory Sample ID(s): BB80685, BB80686, BB80687, BB80688, BB80689, BB80690, BB80691, BB80692, BB80693, BB80694, BB80695, BB80696, BB80697, BB80698, BB80699, BB80700, BB80701, BB80702, BB80703, BB80704, BB80705, BB80706, BB80707, BB80708 **Sampling Date(s):** 5/2/2012 **RCP Methods Used:** 6010 1311/1312 7000 7196 7470/7471 8081 ☐ EPH TO15 **✓** 8082 8270 9010/9012 □ VPH 8151 8260 ETPH For each analytical method referenced in this laboratory report package, were all ✓ Yes □ No specified QA/QC performance criteria followed, including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the CT DEP methodspecific Reasonable Confidence Protocol documents? Were the method specified preservation and holding time requirements met? ✓ Yes □ No EPH and VPH methods only: Was the VPH or EPH method conducted without 1b. ☐ Yes ☐ No **✓** NA significant modifications (see section 11.3 of respective RCP methods) 2. Were all samples received by the laboratory in a condition consistent with that ✓ Yes No described on the associated Chain-of-Custody document(s)? Were samples received at an appropriate temperature (< 6 Degrees C)? 3. ✓ Yes □ No □ NA Were all QA/QC performance criteria specified in the Reasonable Confidence Protocol 4. ✓ Yes □ No documents achieved? Were reporting limits specified or referenced on the chain-of-custody? 5a. ✓ Yes No. Were these reporting limits met? 5b. ✓ Yes □ No □ NA For each analytical method referenced in this laboratory report package, were results 6. ✓ Yes □ No □ NA reported for all constituents identified in the method-specific analyte lists presented in the Reasonable Confidence Protocol documents? Are project-specific matrix spikes and laboratory duplicates included in the data set? 7. ✓ Yes □ No □ NA Note: For all questions to which the response was "No" (with the exception of question #5a, #7), additional information must be provided in an attached narrative. If the answer to question #1, #1A or 1B is "No", the data package does not meet the requirements for "Reasonable Confidence". I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowlegde and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. Date: Monday, May 14, 2012 Authorized Printed Name: Maryam Taylor Signature:

Position: Project Manager







RCP Certification Report

May 14, 2012

SDG I.D.: GBB80685

PCB Narration

Were all QA/QC performance criteria specified in the Reasonable Confidence Protocol documents achieved? Yes.

Instrument: Au-ecd3 05/09/12-1 (BB80685, BB80686, BB80687, BB80688, BB80689, BB80690,

BB80691, BB80692, BB80693, BB80694, BB80695, BB80696, BB80697, BB80698,

BB80699)

8082 Narration:

The initial calibration RSD for the compound list was less than 15% except for the following compounds: none

The continuing calibration standards were within acceptance criteria except for the following compounds: none

Printed Name Michael Hahn Position: Chemist Date: 5/9/2012

Instrument: Au-ecd35 05/09/12-1 (BB80700, BB80701, BB80702, BB80703, BB80704,

BB80705, BB80706, BB80707, BB80708)

8082 Narration:

The initial calibration RSD for the compound list was less than 15% except for the following compounds: none

The continuing calibration standards were within acceptance criteria except for the following compounds: none

Printed Name Keith Aloisa Position: Chemist Date: 5/9/2012

Instrument: <u>Au-ecd6 05/10/12-1 (BB80701)</u>

8082 Narration:

The initial calibration RSD for the compound list was less than 15% except for the following compounds: none

The continuing calibration standards were within acceptance criteria except for the following compounds: none

Printed Name Michael Hahn Position: Chemist Date: 5/10/2012


QC Comments: QC Batch 00209 05/08/12 (BB80685, BB80686, BB80687, BB80688, BB80689,

BB80690, BB80691, BB80692, BB80693, BB80694, BB80695, BB80696, BB80697,

BB80698, BB80699, BB80700)









RCP Certification Report

May 14, 2012

SDG I.D.: GBB80685

Due to a Laboratory error the LCS recovery could not be reported.
QC (Site Specific) Sample No: BB80701, QA/QC Batch: 200210
All LCS recoveries were within 40 - 140 with the following exceptions: None.
All LCSD recoveries were within 40 - 140 with the following exceptions: None.
All LCS/LCSD RPDs were less than 30% with the following exceptions: None.
All MS recoveries were within 40 - 140 with the following exceptions: None.
All MSD recoveries were within 40 - 140 with the following exceptions: None.
All MS/MSD RPDs were less than 30% with the following exceptions: None.
A matrix effect is suspected when a MS/MSD recovery is outside of criteria. No further action is required if LCS/LCSD compounds are within criteria. QC (Batch Specific) ————— Sample No: BB80681, QA/QC Batch: 200209 ——————
All LCSD recoveries were within 40 - 140 with the following exceptions: None.

	s, Inc.
	boratorie
OEN	ental Lal
DHA	nvironmen
	E

CHAIN OF CUSTODY RECORD

Pg 5 of 8

TI I	加入ととしてに				5				RECORD	Data Delivery	y C	T
				5	87 East Mi	ddle Turnpil	(e, P.O. Bo	x 370, Manche	587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040	Fax#:	#:	
Environm	Environmental Laboratories,	s, Inc.				Client Services (860)	vices (6	726	X Email: □	II DIONES A LAGGE COM	F Cort
Customer: L&	LBG, Inc.				Project:	ect:	Satin			Project P.O:		
Address:					Rep	;;	Darnick	Jones		Phone #:		
					lnvo		=	1.1		Fax #:		
U	Client Sample - Information - Identification	- Identificati	uo				1	1//			1 000	
Sampler's Signature		:	Date		Anal) Requ	/sis lest					*0001/2080A	
Matrix Code: DW=drinking water GW=groundwater	WW=wastewater SL=sludge	S=soil/solid O=other A=air	ther			TO LOVE				Sistema Sistem	THOS THOS	
Phoenix Sample #	Customer Sample Identification	Sample Matrix		Date Time Sampled		36				\$ 140 105 10 105 10 105	Second Second	Those Silosof
\$8008	N-47 (0.4-1).	Ŋ		1310						_		
3008	N-47 (1-2).			(312	×					_		
80087	N-47 (2-3).			1314	×							
8008	N-47 (3-3,5).			1316	×					_		
80/089	N-47 (5-6).			1318	×							
80690	N-65 (0.4-1).			1350	×							
80091	N-65 (1-2).			1352	\times					1		
80093	N-65 (2-3).			1354	×					-		
80093	N-65 (5-6).			1356	×							
46008	N-65 (6-7).			1358	×					_		
80095	N-65 (7.8):			1400	×					_		
8009C	N-66 (0.3-1).	>	4	1330	×							
Relinquished by:	hed by:	Accepted	ed by.		<u>Date</u> :	Tir	Time:	Turnaround:	CT/RI	MA	Data Format	
	16	2	M	5	5-3-2012	12:20	20	1 Day*	RCP Cert.	MCP Cert.	Excel	
Out of	MILL COCK	radis	18	2	5/3/12	1352	~	2 Days	GB Mobility	GW-2 GW-2	GIS/Key	
 								Standard Other	SW Protect.		Other	
Comments, Special	quirements or Rec	,		•]	Ind. Vol.	8-8-7 8-8-3	Data Package	
A Mease		remaining sample	SAM	م ا	4			* SURCHARGE APPLIES	Res. Criteria	MWRA eSMART		*.
\$	r possible addil analyses	ا بهاد	shpun	es y	*						NJ Hazsite EDD Phoenix Std Report	
								state where s	State where samples were collected:		- Other	

)			CHAIN	CHAIN OF CUSTODY RECORD	DY RECC	SRD	O) dwe_	6 Pg 6 of 8	\neg
) 			587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040	ımpike, P.O. Box 3	370, Mancheste	r, CT 06040	<u>Data Delivery:</u>	ei	
Environm	Environmental Laboratories,	; Inc.	Email: service@ Client	Email: service@phoenixlabs.com Client Services (860)	Fax (860) 645-0823 0) 645-8726	45-0823 6	Email: D	Email: DJONES 2) LB 6CT COM	र्डू
Customer: LB	LBG, Inc		Project:	Satio			Project P.O:		
Address:			Report to:	Darrick .	Jones		Phone #:		
			Invoice to:		Jones		Fax #:		
	Client Sample - Information - Identification	Identification		10/				logy.	1
Sampler's Signature		Date	Analysis Request	7300			i sie jins je	140001; 100 to Sept 100 100 100 100 100 100 100 100 100 10	$\overline{}$
Matrix Code: DW=drinking water GW=groundwater	er WW=wastewater S=soil/solid r SL=sludge A=air	/solid O=other	~3/5/tc	180 X 310 AS			Solitore Sol	MOOS THOSE	1 8
Phoenix Sample #	Customer Sample Identification	Sample Date Time Matrix Sampled Sampled					\$\\\ \D\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	00 1/10 00 1/2 00 1/2 1/2 00 1/2 1/2 00 1/2 1/2 00 1/2 1/2 00 1/2 1/2 00 1/2 1/2 00 1/2 1/2 00 1/2 1/2 00 1	
7 P0108	N-66(1-2).						1		
80008	N-66 (5-6).	[3]	1334 X						
80699	N-66 (6-6.5).	<u> </u>	1336 X						
80700	N-84 (0.4-1).	30	1540 X						ĺ
80701	N-84 (1-2).	8/	X ZH				_		
80108	N-84 (2-3),	15	1544 X						
80703	N-84 (5-6).	5)	1546 X						
40108	N-84(6-7).	97	1548 X						
80708	N-84 (3-8).	92	1550 X				_		
20108	N-85 (6.3-1).	55	1530 X		-				
F0708	N-85 (1-2).	1/5	1532 X				_		
80708	N-85 (5-6).	<i>₹</i>	1534 X						
Relingui	Relinguished by:	Accepted by,	Date:	Time: Tu	Turnaround: C	CT/RI	MA	Data Format	·
Molle	A		5-3-2012 10	72:20	1 Day*	X RCP Cert. GW Protect.	MCP Cert.	XX Excel	
"Shue	5.00 John	Ladise	5/3/13 13	353	3 Days*	GA Mobility GB Mobility	GW-2	GIS/Key	
Commonts Specia	Comments Special Beninements or Regulations				Other	SW Protect. Res. Vol.	S-2	Other	Ī
A Hear	Pease HOLD remaining samples	ing samples)	*	SURCHARGE APPLIES	Ind. Vol. Kes. Criteria Other	S-3 MWRA eSMART Other	Data Package ASP-A NJ Reduced Deliv. *	
porte	potential add I analysis		*	<u> </u>	ate where sa	State where samples were collected:	octed: CT	NJ Hazsite EDD Phoenix Std Report	
					;				_